

# Index

1

2	(time) resolution .....	96	<poll.h>.....	320
3	/ .....	211	<pthread.h> .....	322
4	/dev .....	211	<pwd.h> .....	327
5	/dev/console .....	211	<regex.h>.....	329
6	/dev/null.....	211	<sched.h> .....	331
7	/dev/tty .....	211	<search.h>.....	333
8	/tmp .....	211	<semaphore.h> .....	335
9	<aio.h> .....	232	<setjmp.h> .....	336
10	<alert> .....	42	<signal.h>.....	338
11	<arpa/inet.h> .....	234	<space> .....	101
12	<assert.h> .....	235	<spawn.h> .....	346
13	<backspace> .....	47	<stdarg.h> .....	348
14	<blank> .....	53	<stdbool.h> .....	350
15	<carriage-return>.....	56	<stddef.h> .....	351
16	<complex.h> .....	236	<stdint.h> .....	352
17	<cpio.h> .....	240	<stdio.h>.....	358
18	<ctype.h>.....	242	<stdlib.h> .....	362
19	<dirent.h>.....	244	<string.h> .....	366
20	<dlfcn.h> .....	246	<strings.h> .....	368
21	<errno.h>.....	247	<stropts.h> .....	369
22	<fcntl.h> .....	251	<sys/dir.h> .....	244
23	<fenv.h>.....	254	<sys/ipc.h>.....	374
24	<float.h> .....	259	<sys/mman.h>.....	376
25	<fmtmsg.h> .....	263	<sys/msg.h>.....	379
26	<fnmatch.h> .....	265	<sys/resource.h> .....	381
27	<form-feed> .....	73	<sys/select.h> .....	383
28	<ftw.h> .....	266	<sys/sem.h> .....	385
29	<glob.h>.....	268	<sys/shm.h>.....	387
30	<grp.h> .....	270	<sys/socket.h> .....	389
31	<iconv.h>.....	272	<sys/stat.h> .....	394
32	<inttypes.h>.....	273	<sys/statvfs.h> .....	399
33	<iso646.h> .....	276	<sys/time.h> .....	401
34	<langinfo.h> .....	277	<sys/timeb.h>.....	403
35	<libgen.h> .....	280	<sys/times.h> .....	404
36	<limits.h> .....	281	<sys/types.h> .....	405
37	<locale.h> .....	296	<sys/uio.h>.....	408
38	<math.h> .....	298	<sys/un.h>.....	409
39	<monetary.h> .....	305	<sys/utsname.h>.....	410
40	<mqueue.h>.....	306	<sys/wait.h> .....	411
41	<ndbm.h>.....	308	<syslog.h> .....	413
42	<net/if.h>.....	309	<tab> .....	107
43	<netdb.h> .....	310	<tar.h>.....	415
44	<netinet/in.h>.....	314	<termios.h>.....	417
45	<netinet/tcp.h>.....	318	<tgmath.h> .....	423
46	<newline>.....	82	<time.h> .....	427
47	<nl_types.h> .....	319	<trace.h>.....	431

48	<ucontext.h>.....	435	_POSIX2_LOCALEDEF .....	437, 442
49	<ulimit.h>.....	436	_POSIX2_PBS .....	442
50	<unistd.h>.....	437	_POSIX2_PBS_ACCOUNTING .....	442
51	<utime.h>.....	459	_POSIX2_PBS_CHECKPOINT .....	442
52	<utmpx.h>.....	460	_POSIX2_PBS_LOCATE.....	442
53	<vertical-tab>.....	116	_POSIX2_PBS_MESSAGE.....	442
54	<wchar.h>.....	462	_POSIX2_PBS_TRACK.....	442
55	<wctype.h>.....	466	_POSIX2_RE_DUP_MAX.....	283, 286, 290
56	<wordexp.h>.....	468	_POSIX2_SW_DEV .....	442
57	±0.....	118	_POSIX2_UPE.....	437, 443
58	_CS_PATH .....	445	_POSIX2_VERSION.....	437
59	_CS_XBS5_ILP32_OFF32_CFLAGS.....	447	_POSIX_ADVISORY_INFO.....	21, 32, 438
60	_CS_XBS5_ILP32_OFF32_LDFLAGS.....	447	_POSIX_AIO_LISTIO_MAX.....	282, 287
61	_CS_XBS5_ILP32_OFF32_LIBS.....	447	_POSIX_AIO_MAX.....	282, 287
62	_CS_XBS5_ILP32_OFF32_LINTFLAGS.....	447	_POSIX_ARG_MAX .....	282, 287
63	_CS_XBS5_ILP32_OFFBIG_CFLAGS.....	447	_POSIX_ASYNCHRONOUS_IO.....	21, 28, 32, 438
64	_CS_XBS5_ILP32_OFFBIG_LDFLAGS.....	447	_POSIX_ASYNC_IO .....	445
65	_CS_XBS5_ILP32_OFFBIG_LIBS.....	447	_POSIX_BARRIERS.....	21, 30, 32, 438
66	_CS_XBS5_ILP32_OFFBIG_LINTFLAGS.....	447	_POSIX_BASE.....	20, 444
67	_CS_XBS5_LP64_OFF64_CFLAGS.....	447	_POSIX_CHILD_MAX .....	287
68	_CS_XBS5_LP64_OFF64_LDFLAGS.....	448	_POSIX_CHOWN_RESTRICTED.....	21, 438, 457
69	_CS_XBS5_LP64_OFF64_LIBS.....	448	_POSIX_CLOCKRES_MIN.....	286
70	_CS_XBS5_LP64_OFF64_LINTFLAGS.....	448	_POSIX_CLOCK_SELECTION.....	21, 32, 438
71	_CS_XBS5_LPBIG_OFFBIG_CFLAGS.....	448	_POSIX_CPUTIME.....	21, 32, 438
72	_CS_XBS5_LPBIG_OFFBIG_LDFLAGS.....	448	_POSIX_C_LANG_SUPPORT.....	20, 25, 444
73	_CS_XBS5_LPBIG_OFFBIG_LIBS.....	448	_POSIX_C_LANG_SUPPORT_R.....	21, 24-25, 444
74	_CS_XBS5_LPBIG_OFFBIG_LINTFLAGS.....	448	_POSIX_DELAYTIMER_MAX .....	282, 287
75	_IOFBF.....	358	_POSIX_DEVICE_IO.....	20, 25, 444
76	_IOLBF.....	358	_POSIX_DEVICE_SPECIFIC .....	20, 25, 444
77	_IONBF.....	358	_POSIX_DEVICE_SPECIFIC_R.....	25, 444
78	_MIN.....	281	_POSIX_FD_MGMT .....	20, 25, 444
79	_PC constants		_POSIX_FIFO.....	20, 25, 444
80	defined in <unistd.h>.....	451	_POSIX_FILE_ATTRIBUTES .....	20, 25, 444
81	_POSIX.....	281	_POSIX_FILE_LOCKING .....	21, 24-25, 444
82	_POSIX maximum values		_POSIX_FILE_SYSTEM .....	20, 25, 444
83	in <limits.h>.....	286	_POSIX_FSYNC .....	21, 24, 28, 32, 438
84	_POSIX minimum values		_POSIX_IPV6.....	21, 32
85	in <limits.h>.....	286	_POSIX_JOB_CONTROL...20-21, 26, 439, 444, 457	
86	_POSIX2_BC_BASE_MAX.....	285, 289	_POSIX_LINK_MAX.....	284, 287
87	_POSIX2_BC_DIM_MAX.....	285, 290	_POSIX_LOGIN_NAME_MAX .....	282, 287
88	_POSIX2_BC_SCALE_MAX.....	285, 290	_POSIX_MAPPED_FILES .....	21, 24, 28, 32, 439
89	_POSIX2_BC_STRING_MAX.....	286, 290	_POSIX_MAPPED_FILES,.....	28
90	_POSIX2_CHARCLASS_NAME_MAX.....	286, 290	_POSIX_MAX_CANON.....	284, 287
91	_POSIX2_CHAR_TERM.....	437, 442	_POSIX_MAX_INPUT.....	284, 287
92	_POSIX2_COLL_WEIGHTS_MAX.....	286, 290	_POSIX_MEMLOCK.....	21, 28, 33, 439
93	_POSIX2_C_BIND.....	437, 442	_POSIX_MEMLOCK_RANGE.....	21, 28, 33, 439
94	_POSIX2_C_DEV.....	442	_POSIX_MEMORY_PROTECTION.....	21, 24
95	_POSIX2_EXPR_NEST_MAX.....	286, 290	.....	28, 33, 439
96	_POSIX2_FORT_DEV.....	442	_POSIX_MESSAGE_PASSING.....	21, 28, 33, 439
97	_POSIX2_FORT_RUN.....	442	_POSIX_MONOTONIC_CLOCK.....	22, 33, 439
98	_POSIX2_LINE_MAX.....	286, 290, 292	_POSIX_MQ_OPEN_MAX .....	282, 287

## Index

99	<code>_POSIX_MQ_PRIO_MAX</code> .....	282, 287	
100	<code>_POSIX_MULTIPLE_PROCESS</code> .....	20, 26, 444	
101	<code>_POSIX_NAME_MAX</code> .....	285, 287	
102	<code>_POSIX_NETWORKING</code> .....	20, 26, 444	
103	<code>_POSIX_NGROUPS_MAX</code> .....	288	
104	<code>_POSIX_NO_TRUNC</code> .....	21, 439, 457	
105	<code>_POSIX_OPEN_MAX</code> .....	288	
106	<code>_POSIX_PATH_MAX</code> .....	285, 288	
107	<code>_POSIX_PIPE</code> .....	20, 26, 444	
108	<code>_POSIX_PIPE_BUF</code> .....	285, 288	
109	<code>_POSIX_PRIORITIZED_IO</code> .....	22, 28, 33, 439	
110	<code>_POSIX_PRIORITY_SCHEDULING</code> .....	22, 28, 33, 439	
111	<code>_POSIX_PRIO_IO</code> .....	445	
112	<code>_POSIX_RAW_SOCKETS</code> .....	22	
113	<code>_POSIX_READER_WRITER_LOCKS</code> .....	439	
114	<code>_POSIX_REALTIME_SIGNALS</code> .....	22, 28, 33, 439	
115	<code>_POSIX_REGEX</code> .....	439	
116	<code>_POSIX_RE_DUP_MAX</code> .....	288	
117	<code>_POSIX_RTSIG_MAX</code> .....	283, 288	
118	<code>_POSIX_SAVED_IDS</code> .....	21, 440, 457	
119	<code>_POSIX_SEMAPHORES</code> .....	22, 28, 33, 440	
120	<code>_POSIX_SEM_NSEMS_MAX</code> .....	283, 288	
121	<code>_POSIX_SEM_VALUE_MAX</code> .....	283, 288	
122	<code>_POSIX_SHARED_MEMORY_OBJECTS</code> .....	22	
123	.....	28, 33, 440	
124	<code>_POSIX_SHELL</code> .....	33, 440	
125	<code>_POSIX_SIGNALS</code> .....	20, 26, 444	
126	<code>_POSIX_SIGQUEUE_MAX</code> .....	283, 288	
127	<code>_POSIX_SINGLE_PROCESS</code> .....	20, 26, 444	
128	<code>_POSIX_SPAWN</code> .....	22, 33, 440	
129	<code>_POSIX_SPIN_LOCKS</code> .....	22, 30, 33, 440	
130	<code>_POSIX_SPARADIC_SERVER</code> .....	22, 33, 440	
131	<code>_POSIX_SSIZE_MAX</code> .....	288, 291	
132	<code>_POSIX_SS_REPL_MAX</code> .....	283, 288	
133	<code>_POSIX_STREAM_MAX</code> .....	283, 288	
134	<code>_POSIX_SYMLINK_MAX</code> .....	285, 289	
135	<code>_POSIX_SYMLOOP_MAX</code> .....	283, 289	
136	<code>_POSIX_SYNCHRONIZED_IO</code> .....	22, 28, 34, 440	
137	<code>_POSIX_SYNC_IO</code> .....	445	
138	<code>_POSIX_SYSTEM_DATABASE</code> .....	20, 26, 444	
139	<code>_POSIX_SYSTEM_DATABASE_R</code> .....	21, 24, 26, 444	
140	<code>_POSIX_THREADS</code> .....	22, 24, 30, 34, 441	
141	<code>_POSIX_THREAD_ATTR_STACKADDR</code> .....	22, 24	
142	.....	34, 440	
143	<code>_POSIX_THREAD_ATTR_STACKSIZE</code> .....	22, 24	
144	.....	34, 440	
145	<code>_POSIX_THREAD_CPUTIME</code> .....	22, 30, 34, 440	
146	<code>_POSIX_THREAD_DESTRUCTOR</code> .....		
147	<code>ITERATIONS</code> .....	283, 289	
148	<code>_POSIX_THREAD_KEYS_MAX</code> .....	283, 289	
149	<code>_POSIX_THREAD_PRIORITY_SCHEDULING</code> .....		
	.....	22, 29-30, 34, 441	
	<code>_POSIX_THREAD_PRIO_INHERIT</code> .....	22, 29	
	.....	34, 440	
	<code>_POSIX_THREAD_PRIO_PROTECT</code> .....	22, 29	
	.....	34, 441	
	<code>_POSIX_THREAD_PROCESS_SHARED</code> .....	22	
	.....	24, 34, 441	
	<code>_POSIX_THREAD_SAFE_FUNCTIONS</code> .....	22	
	.....	24, 30, 34, 441	
	<code>_POSIX_THREAD_SPORADIC_SERVER</code> .....	22	
	.....	30, 34, 441	
	<code>_POSIX_THREAD_THREADS_MAX</code> .....	283, 289	
	<code>_POSIX_TIMEOUTS</code> .....	22, 34, 441	
	<code>_POSIX_TIMERS</code> .....	22, 28, 30, 34, 441	
	<code>_POSIX_TIMER_MAX</code> .....	283, 289	
	<code>_POSIX_TTY_NAME_MAX</code> .....	284, 289	
	<code>_POSIX_TYPED_MEMORY_OBJECTS</code> .....	22, 35, 441	
	<code>_POSIX_TZNAME_MAX</code> .....	284, 289	
	<code>_POSIX_USER_GROUPS</code> .....	20, 26, 444	
	<code>_POSIX_USER_GROUPS_R</code> .....	21, 24, 26, 444	
	<code>_POSIX_VDISABLE</code> .....	21, 441, 457	
	<code>_POSIX_VERSION</code> .....	437	
	<code>_SC constants</code>		
	defined in <unistd.h> .....	<b>448</b>	
	<code>_SC_COLL_WIGHTS_MAX</code> .....	456	
	<code>_SC_EXPR_NEST_MAX</code> .....	456	
	<code>_SC_LINE_MAX</code> .....	456	
	<code>_SC_RE_DUP_MAX</code> .....	456	
	<code>_SC_STREAM_MAX</code> .....	456	
	<code>_SC_TZNAME_MAX</code> .....	456	
	<code>_XBS5_ILP32_OFF32</code> .....	443	
	<code>_XBS5_ILP32_OFFBIG</code> .....	443	
	<code>_XBS5_LP64_OFF64</code> .....	443	
	<code>_XBS5_LPBIG_OFFBIG</code> .....	443	
	<code>_XOPEN_CRYPT</code> .....	22, 24, 27, 443	
	<code>_XOPEN_ENH_I18N</code> .....	443	
	<code>_XOPEN_IOV_MAX</code> .....	282, 290	
	<code>_XOPEN_LEGACY</code> .....	22, 24, 31-32, 443	
	<code>_XOPEN_REALTIME</code> .....	23-24, 27-28, 443	
	<code>_XOPEN_REALTIME_THREADS</code> .....	23-24, 29, 443	
	<code>_XOPEN_SHM</code> .....	443	
	<code>_XOPEN_STREAMS</code> .....	31, 444	
	<code>_XOPEN_UNIX</code> .....	23, 437	
	<code>_XOPEN_VERSION</code> .....	437	
	<code>_XOPEN_XCU_VERSION</code> .....	437	
	<code>_XOPEN_XPG2</code> .....	437	
	<code>_XOPEN_XPG3</code> .....	437	
	<code>_XOPEN_XPG4</code> .....	438	
	<code>ABDAY</code> .....	278	
	<code>ABMON</code> .....	278	
	<code>abortive release</code> .....	41	

150	absolute path name.....	41, 123	asynchronously-generated signal.....	45
151	access mode.....	41	ATEXIT_MAX.....	282
152	additional file access control mechanism.....	41	attribute selection.....	420
153	address space.....	41	authentication.....	46
154	ADV.....	<b>10</b>	authorization.....	46
155	advisory information.....	41	background job.....	46
156	affirmative response.....	42	background process.....	46
157	AF_INET.....	391	background process group.....	46
158	AF_INET6.....	391	backquote.....	47
159	AF_UNIX.....	391	backslash.....	47
160	AF_UNSPEC.....	391	backspace character.....	47
161	AIO.....	<b>10</b>	bandinfo.....	<b>369</b>
162	AIO_ALLDONE.....	232	BAR.....	<b>10</b>
163	AIO_CANCELED.....	232	barrier.....	47
164	AIO_LISTIO_MAX.....	281	base character.....	47
165	AIO_MAX.....	282	basename.....	47
166	AIO_NOTCANCELED.....	232	basic regular expression.....	48, 198
167	AIO_PRIO_DELTA_MAX.....	282	batch access list.....	48
168	AI_CANONNAME.....	311	batch administrator.....	48
169	AI_NUMERICHOST.....	311	batch client.....	48
170	AI_PASSIVE.....	311	batch destination.....	48
171	alert.....	42	batch destination identifier.....	48
172	alert character.....	42	batch directive.....	49
173	alias name.....	42	batch job.....	49
174	alignment.....	42	batch job attribute.....	49
175	alternate file access control mechanism.....	43	batch job identifier.....	49
176	alternate signal stack.....	43	batch job name.....	49
177	ALT_DIGITS.....	278	batch job owner.....	50
178	AM_STR.....	278	batch job priority.....	50
179	anchoring.....	202	batch job state.....	50
180	ancillary data.....	43	batch name service.....	50
181	angle brackets.....	43	batch name space.....	50
182	ANYMARK.....	372	batch node.....	50
183	API.....	44	batch operator.....	51
184	application.....	43	batch queue.....	51
185	application address.....	43	batch queue attribute.....	51
186	application conformance.....	38	batch queue position.....	51
187	application program interface.....	44	batch queue priority.....	51
188	appropriate privileges.....	44	batch rerunability.....	52
189	AREGTYPE.....	415	batch restart.....	52
190	argument.....	44	batch server.....	52
191	ARG_MAX.....	282	batch server name.....	52
192	arm (a timer).....	44	batch service.....	52
193	assignment.....	44	batch service request.....	52
194	asterisk.....	45	batch submission.....	53
195	async-cancel-safe function.....	45	batch system.....	53
196	async-signal-safe function.....	45	batch target user.....	53
197	asynchronous events.....	45	batch user.....	53
198	asynchronous I/O completion.....	46	baud rate selection.....	419
199	asynchronous I/O operation.....	46	BC_BASE_MAX.....	285
200	asynchronous input and output.....	45	BC_DIM_MAX.....	285

## Index

201	BC_SCALE_MAX .....	285	CHILD_MAX.....	282
202	BC_STRING_MAX.....	286	CHRTYPE .....	415
203	BE .....	<b>10</b>	circumflex.....	57
204	bind.....	53	CLD_CONTINUED .....	342
205	blank character.....	53	CLD_DUMPED.....	342
206	blank line .....	53	CLD_EXITED .....	342
207	blkcnt_t .....	405	CLD_KILLED .....	342
208	blksize_t.....	405	CLD_STOPPED.....	342
209	BLKTYPE.....	415	CLD_TRAPPED .....	342
210	block special file.....	54	CLOCAL.....	420
211	block-mode terminal.....	54	clock.....	57
212	blocked process (or thread) .....	54	clock jump.....	57
213	blocking .....	54	clock tick.....	58
214	BOOT_TIME.....	460	clockid_t .....	405
215	braces.....	54	CLOCKS_PER_SEC .....	405, 427-428
216	brackets.....	54	CLOCK_MONOTONIC .....	428
217	BRE (ERE) matching a single character .....	196	CLOCK_PROCESS_CPUTIME_ID.....	427
218	BRE (ERE) matching multiple characters.....	196	CLOCK_REALTIME.....	286, 427
219	break value.....	55	clock_t .....	405
220	BRKINT .....	418	CLOCK_THREAD_CPUTIME_ID.....	427
221	broadcast .....	55	CMMSG_DATA .....	390
222	BSD .....	244	CMMSG_FIRSTHDR.....	390
223	BSDLY .....	419	CMMSG_NXTHDR .....	390
224	BSn.....	419	coded character set.....	58
225	BUFSIZ.....	358	codeset .....	58
226	built-in.....	55	CODESET .....	278
227	built-in utility .....	55	collating element.....	58
228	BUS_ADRALN.....	342	collating element order.....	58
229	BUS_ADRERR.....	342	collation .....	59
230	BUS_OBJERR.....	342	collation sequence .....	59
231	byte .....	55	COLL_WEIGHTS_MAX .....	286
232	byte input/output functions .....	56	column position .....	59
233	can.....	8	COLUMNS.....	<b>192</b>
234	canonical mode input processing .....	215	command.....	59
235	carriage-return character.....	56	command language interpreter.....	60
236	CD.....	<b>10</b>	composite graphic symbol.....	60
237	character .....	56	condition variable.....	60
238	character array.....	56	conformance .....	19, 38
239	character class .....	56	POSIX .....	19
240	character encoding.....	136	POSIX system interfaces .....	20
241	state-dependent .....	140	XSI.....	19
242	character set.....	57	XSI system interfaces.....	23
243	character special file.....	57	conformance document.....	19
244	character string.....	57	conforming application.....	19
245	CHARCLASS_NAME_MAX .....	286, 292	conforming implementation options .....	25
246	charmap .....		connection .....	60
247	description .....	137	connection mode.....	60
248	CHAR_BIT .....	290	connectionless mode.....	60
249	CHAR_MAX.....	291	control character .....	61
250	CHAR_MIN.....	291	control modes.....	420
251	child process .....	57	control operator .....	61

252	controlling process .....	61	utimbuf .....	459
253	controlling terminal .....	61, 214	data type	
254	CONTTYPE .....	415	ACTION .....	333
255	conversion descriptor .....	61	cc_t .....	417
256	core file .....	61	DIR .....	244
257	CPT .....	11	div_t .....	362
258	CPU .....	404	ENTRY .....	333
259	CPU time .....	62	FILE .....	359
260	clock .....	62	fpos_t .....	359
261	timer .....	62	glob_t .....	268
262	CRDLY .....	418	ldiv_t .....	362
263	CREAD .....	420	mbstate_t .....	462
264	CRn .....	418	msglen_t .....	379
265	CRNCYSTR .....	278	msgqnum_t .....	379
266	CS .....	11	nl_catd .....	319
267	CSIZE .....	420	nl_item .....	319
268	Csn .....	420	ptrdiff_t .....	351
269	CSTOPB .....	420	regex_t .....	329
270	current working directory .....	62, 117	regmatch_t .....	329
271	cursor position .....	62	regoff_t .....	329
272	CX .....	11	shmatt_t .....	387
273	C_ constants in <cpio.h> .....	240	sigset_t .....	338
274	C_IRGRP .....	240	sig_atomic_t .....	338
275	C_IROTH .....	240	size_t .....	351
276	C_IRUSR .....	240	speed_t .....	417
277	C_ISBLK .....	240	tflag_t .....	417
278	C_ISCHR .....	240	VISIT .....	333
279	C_ISCTG .....	240	wchar_t .....	351
280	C_ISDIR .....	240	wctrans_t .....	466
281	C_ISFIFO .....	240	wctype_t .....	462
282	C_ISGID .....	240	wint_t .....	462
283	C_ISLNK .....	240	data types	
284	C_ISREG .....	240	defined in <sys/types.h> .....	405
285	C_ISSOCK .....	240	DATEMSK .....	192
286	C_ISUID .....	240	DAY_ .....	278
287	C_ISVTX .....	240	DBL_ constants	
288	C_IWGRP .....	240	defined in <float.h> .....	261
289	C_IWOTH .....	240	DBL_DIG .....	261, 290
290	C_IWUSR .....	240	DBL_EPSILON .....	262
291	C_IXGRP .....	240	DBL_MANT_DIG .....	261
292	C_IXOTH .....	240	DBL_MAX .....	262, 290
293	C_IXUSR .....	240	DBL_MAX_10_EXP .....	262
294	data segment .....	63	DBL_MAX_EXP .....	261
295	data structure		DBL_MIN .....	262
296	dirent .....	244	DBL_MIN_10_EXP .....	261
297	entry .....	333	DBL_MIN_EXP .....	261
298	group .....	270	DBM .....	308
299	lconv .....	296	DBM_INSERT .....	308
300	msqid_ds .....	379	DBM_REPLACE .....	308
301	stat .....	394	DEAD_PROCESS .....	460
302	tms .....	404	deferred batch service .....	63

## Index

303	DELAYTIMER_MAX	282	EDESTADDRREQ	247
304	device	63	EDOM	247
305	output	211	EDQUOT	247
306	device ID	63	EEXIST	247
307	dev_t	405	EFAULT	247
308	DIR	244	EFBIG	247
309	directory	63	effective group ID	65
310	directory entry (or link)	63	effective user ID	65
311	directory stream	63	EHOSTUNREACH	247
312	dirent structure	244	EIDRM	247
313	DIRTYPE	415	eight-bit transparency	65
314	disarm (a timer)	64	EILSEQ	247
315	display	64	EINPROGRESS	248
316	documentation	19	EINTR	248
317	dollar sign	64	EINVAL	248
318	dot	64	EIO	248
319	dot-dot	64	EISCONN	248
320	double-quote	64	EISDIR	248
321	downshifting	65	ELOOP	248
322	driver	65	EMFILE	248
323	D_FMT	278	EMLINK	248
324	D_T_FMT	278	EMPTY	460
325	E2BIG	247	empty directory	65
326	EACCES	247	empty line	66
327	EADDRINUSE	247	empty string (or null string)	66
328	EADDRNOTAVAIL	247	empty wide-character string	66
329	EAFNOSUPPORT	247	EMSGSIZE	248
330	EAGAIN	247	EMULTIHOP	248
331	EAI_AGAIN	312	ENAMETOOLONG	248
332	EAI_BADFLAGS	312	encoding	
333	EAI_FAIL	312	character	136
334	EAI_FAMILY	312	encoding rule	66
335	EAI_MEMORY	312	encryption	27
336	EAI_NONAME	312	ENETDOWN	248
337	EAI_SERVICE	312	ENETUNREACH	248
338	EAI_SOCKTYPE	312	ENFILE	248
339	EAI_SYSTEM	312	ENOBUFS	248
340	EALREADY	247	ENODATA	248
341	EBADF	247	ENODEV	248
342	EBADMSG	247	ENOENT	248
343	EBUSY	247	ENOEXEC	248
344	ECANCELED	247	ENOLCK	248
345	ECHILD	247	ENOLINK	248
346	ECHO	420	ENOMEM	248
347	ECHOE	420	ENOMSG	248
348	ECHOK	420	ENOPROTOPT	248
349	ECHONL	420	ENOSPC	248
350	ECONNABORTED	247	ENOSR	248
351	ECONNREFUSED	247	ENOSTR	248
352	ECONNRESET	247	ENOSYS	248
353	EDEADLK	247	ENOTCONN	248

354	ENOTDIR.....	248	FD.....	<b>11</b>
355	ENOTEMPTY.....	248	FD_CLOEXEC.....	251
356	ENOTSOCK.....	248	FD_CLR.....	401
357	ENOTSUP.....	248	FD_ISSET.....	401
358	ENOTTY.....	249	FD_SET.....	401
359	entire regular expression.....	66, 196	fd_set.....	<b>401</b>
360	environment variables		FD_SETSIZE.....	401
361	internationalization.....	189	FD_ZERO.....	401
362	ENXIO.....	249	feature test macro.....	68
363	EOF.....	358	FFDLY.....	419
364	EOPNOTSUPP.....	249	FFn.....	419
365	EOVERFLOW.....	249	field.....	68
366	EPERM.....	249	FIFO.....	69
367	EPIPE.....	249	FIFO special file.....	69
368	epoch.....	66	FIFOTYPE.....	415
369	EPROTO.....	249	file.....	69
370	EPROTONOSUPPORT.....	249	FILE.....	358, 462
371	EPROTOTYPE.....	249	file access permissions.....	121
372	equivalence class.....	66	file characteristics	
373	era.....	67	data structure.....	396
374	ERA.....	278	header.....	396
375	ERANGE.....	249	file description.....	69
376	ERA_D_FMT.....	278	file descriptor.....	69
377	ERA_D_T_FMT.....	278	file group class.....	69
378	ERA_T_FMT.....	278	file mode.....	70
379	EROFS.....	249	file mode bits.....	70
380	ESPIPE.....	249	file name.....	70
381	ESRCH.....	249	file name portability.....	70
382	ESTALE.....	249	file offset.....	70
383	ETIME.....	249	file other class.....	71
384	ETIMEDOUT.....	249	file owner class.....	71
385	ETXTBSY.....	249	file permission bits.....	71
386	event management.....	67	file serial number.....	71
387	EWouldBlock.....	249	file system.....	71
388	EXDEV.....	249	file times update.....	122
389	executable file.....	67	file type.....	71
390	execute.....	67	FILENAME_MAX.....	358
391	execution time.....	62, 67	FILESIZEBITS.....	284
392	measurement.....	123	filter.....	72
393	monitoring.....	67	FIPS.....	21
394	EXIT_FAILURE.....	362	first open (of a file).....	72
395	EXIT_SUCCESS.....	362	flow control.....	72
396	expand.....	68	FLT_constants	
397	EXPR_NEST_MAX.....	286	defined in <float.h>.....	<b>261</b>
398	extended regular expression.....	68, 203	FLT_DIG.....	261, 290
399	extended security controls.....	68	FLT_EPSILON.....	262
400	extension		FLT_MANT_DIG.....	261
401	CX.....	11	FLT_MAX.....	262, 290
402	OH.....	12	FLT_MAX_10_EXP.....	261
403	XSI.....	16	FLT_MAX_EXP.....	261
404	F-LOCK.....	<b>451</b>	FLT_MIN.....	262



## Index

405	FLT_MIN_10_EXP.....	261	F_GETLK.....	251
406	FLT_MIN_EXP.....	261	F_GETOWN.....	251
407	FLT_RADIX.....	259, 261	F_OK.....	445
408	FLT_ROUNDS.....	259	F_RDLCK.....	251
409	FLUSHR.....	370	F_SETFD.....	251
410	FLUSHRW.....	370	F_SETFL.....	251
411	FLUSHW.....	370	F_SETLK.....	251
412	FMNAMESZ.....	370	F_SETLKW.....	251
413	FNM_constants		F_SETOWN.....	251
414	in <fnmatch.h>.....	<b>265</b>	F_TEST.....	<b>451</b>
415	FNM_NOESCAPE.....	265	F_TLOCK.....	<b>451</b>
416	FNM_NOMATCH.....	265	F_ULOCK.....	<b>451</b>
417	FNM_NOSYS.....	265	F_UNLCK.....	251
418	FNM_PATHNAME.....	265	F_WRLCK.....	251
419	FNM_PERIOD.....	265	GETALL.....	385
420	FOPEN_MAX.....	283, 358	GETNCNT.....	385
421	foreground job.....	72	GETPID.....	385
422	foreground process.....	72	GETVAL.....	385
423	foreground process group.....	72	GETZCNT.....	385
424	foreground process group ID.....	72	gid_t.....	405
425	form-feed character.....	73	GLOB_constants	
426	format of entries.....	<b>231</b>	defined in <glob.h>.....	<b>268</b>
427	FPE_FLTDIV.....	342	GLOB_ABORTED.....	268
428	FPE_FLTINV.....	342	GLOB_APPEND.....	268
429	FPE_FLTOVF.....	342	GLOB_DOOFFS.....	268
430	FPE_FLTRES.....	342	GLOB_ERR.....	268
431	FPE_FLTSUB.....	342	GLOB_MARK.....	268
432	FPE_FLTUND.....	342	GLOB_NOCHECK.....	268
433	FPE_INTDIV.....	342	GLOB_NOESCAPE.....	268
434	FPE_INTOVF.....	342	GLOB_NOMATCH.....	268
435	FR.....	<b>11</b>	GLOB_NOSORT.....	268
436	fsblkcnt_t.....	405	GLOB_NOSPACE.....	268
437	FSC.....	<b>11</b>	GLOB_NOSYS.....	268
438	fsfilcnt_t.....	405	grammar	
439	FTW.....	266	locale.....	176
440	FTW_constants		regular expression.....	206
441	in <ftw.h>.....	<b>266</b>	graphic character.....	73
442	FTW_CHDIR.....	266	group database.....	73
443	FTW_D.....	266	group ID.....	73
444	FTW_DEPTH.....	266	group name.....	73
445	FTW_DNR.....	266	hard limit.....	74
446	FTW_DP.....	266	hard link.....	74
447	FTW_F.....	266	headers.....	<b>231</b>
448	FTW_MOUNT.....	266	HOME.....	<b>192</b>
449	FTW_NS.....	266	home directory.....	74
450	FTW_PHYS.....	266	host byte order.....	74
451	FTW_SL.....	266	HUGE_VAL.....	299
452	FTW_SLN.....	266	HUPCL.....	420
453	F_DUPFD.....	251	ICANON.....	420
454	F_GETFD.....	251	ICRNL.....	418
455	F_GETFL.....	251	idtype_t.....	<b>411</b>

456	id_t.....	405	IPC_EXCL.....	374
457	IEXTEN.....	420	IPC_NOWAIT.....	374
458	IGNBRK.....	418	IPC_PRIVATE.....	374
459	IGNCR.....	418	IPC_RMID.....	374
460	IGNPAR.....	418	IPC_SET.....	374
461	ILL_BADSTK.....	342	IPC_STAT.....	374
462	ILL_COPROC.....	342	IPPROTO_ICMP.....	315
463	ILL_ILLADR.....	342	IPPROTO_IP.....	315
464	ILL_ILLOPC.....	342	IPPROTO_TCP.....	315
465	ILL_ILLOPN.....	342	IPPROTO_UDP.....	315
466	ILL_ILLTRP.....	342	IPV6_JOIN_GROUP.....	315
467	ILL_PRVOPC.....	342	IPV6_LEAVE_GROUP.....	315
468	ILL_PRIVREG.....	342	IPV6_MULTICAST_HOPS.....	316
469	implementation-defined.....	8	IPV6_MULTICAST_IF.....	316
470	IN6_IS_ADDR_LINKLOCAL.....	316	IPV6_MULTICAST_LOOP.....	316
471	IN6_IS_ADDR_LOOPBACK.....	316	IPV6_UNICAST_HOPS.....	316
472	IN6_IS_ADDR_MC_GLOBAL.....	316	ISIG.....	420
473	IN6_IS_ADDR_MC_LINKLOCAL.....	316	ISTRIP.....	418
474	IN6_IS_ADDR_MC_NODELOCAL.....	316	itimerval.....	<b>401</b>
475	IN6_IS_ADDR_MC_ORGLOCAL.....	316	ITIMER_PROF.....	401
476	IN6_IS_ADDR_MC_SITELOCAL.....	316	ITIMER_REAL.....	401
477	IN6_IS_ADDR_MULTICAST.....	316	ITIMER_VIRTUAL.....	401
478	IN6_IS_ADDR_SITELOCAL.....	316	IXANY.....	418
479	IN6_IS_ADDR_UNSPECIFIED.....	316	IXOFF.....	418
480	IN6_IS_ADDR_V4COMPAT.....	316	IXON.....	418
481	IN6_IS_ADDR_V4MAPPED.....	316	I_ATMARK.....	372
482	INADDR_ANY.....	315	I_CANPUT.....	372
483	INADDR_BROADCAST.....	315	I_CKBAND.....	372
484	incomplete line.....	74	I_FDINSERT.....	371
485	INET6_ADDRSTRLEN.....	315	I_FIND.....	371
486	INET_ADDRSTRLEN.....	315	I_FLUSH.....	370
487	Inf.....	74	I_FLUSHBAND.....	370
488	INIT_PROCESS.....	460	I_GETBAND.....	372
489	INLCR.....	418	I_GETCLTIME.....	372
490	ino_t.....	405	I_GETSIG.....	371
491	INPCK.....	418	I_GRDOPT.....	371
492	interactive shell.....	75	I_GWROPT.....	371
493	internationalization.....	75	I_LINK.....	372
494	interprocess communication.....	75	I_LIST.....	372
495	INT_MAX.....	291	I_LOOK.....	370
496	INT_MIN.....	291	I_NREAD.....	371
497	invalid.....	196	I_PEEK.....	371
498	invariant values.....	292	I_PLINK.....	372
499	invoke.....	75	I_POP.....	370
500	iovec.....	<b>408</b>	I_PUNLINK.....	372
501	IOV_MAX.....	282	I_PUSH.....	370
502	IP6.....	<b>11</b>	I_RECVFD.....	372
503	IPC.....	374	I_SENDFD.....	371
504	IPC_constants.....		I_SETCLTIME.....	372
505	defined in <sys/ipc.h>.....	<b>374</b>	I_SETSIG.....	370
506	IPC_CREAT.....	374	I_SRDOPT.....	371

## Index

507	I_STR.....	371	local customs .....	77
508	I_SWROPT .....	371	local IPC.....	77
509	I_UNLINK.....	372	local modes .....	420
510	job.....	75	locale .....	77, 143
511	job control.....	76	grammar.....	176
512	job control job ID .....	76	POSIX.....	144
513	key_t.....	405	locale definition .....	145
514	LANG.....	<b>189</b>	localization.....	77
515	last close (of a file) .....	76	login.....	77
516	LASTMARK.....	372	login name.....	78
517	LC_ALL.....	<b>189</b> , 296	LOGIN_NAME_MAX.....	282
518	LC_COLLATE.....	<b>189</b> , 286, 296	LOGIN_PROCESS.....	460
519	description .....	155	LOGNAME.....	<b>192</b>
520	LC_CTYPE.....	<b>189</b> , 278, 296, 466	LOG_ALERT .....	414
521	description .....	147	LOG_AUTH.....	413
522	LC_MESSAGES.....	<b>189</b> , 278, 296, 319	LOG_CONS.....	413
523	description .....	174	LOG_CRIT .....	414
524	LC_MONETARY.....	<b>189</b> , 278, 296	LOG_CRON .....	413
525	description .....	163	LOG_DAEMON .....	413
526	LC_NUMERIC.....	<b>189</b> , 278, 296	LOG_DEBUG .....	414
527	description .....	166	LOG_EMERG .....	414
528	LC_TIME.....	<b>190</b> , 278, 296	LOG_ERR.....	414
529	description .....	168	LOG_INFO.....	414
530	LDBL_constants		LOG_KERN .....	413
531	defined in <float.h>.....	<b>261</b>	LOG_LOCAL.....	413
532	LDBL_DIG.....	261	LOG_LPR .....	413
533	LDBL_EPSILON .....	262	LOG_MAIL.....	413
534	LDBL_MANT_DIG .....	261	LOG_MASK.....	413
535	LDBL_MAX .....	262	LOG_NDELAY.....	413
536	LDBL_MAX_10_EXP .....	262	LOG_NEWS.....	413
537	LDBL_MAX_EXP.....	261	LOG_NOTICE.....	414
538	LDBL_MIN.....	262	LOG_NOWAIT .....	413
539	LDBL_MIN_10_EXP .....	261	LOG_ODELAY .....	413
540	LDBL_MIN_EXP.....	261	LOG_PID.....	413
541	legacy .....	8, 31	LOG_USER .....	413
542	limit		LOG_UUCP.....	413
543	numerical .....	290	LOG_WARNING .....	414
544	line .....	76	LONG_BIT .....	290-291
545	line control .....	421	LONG_MAX.....	291
546	LINES.....	<b>192</b>	LONG_MIN.....	292
547	LINE_MAX.....	286	lower multiplexing.....	103
548	linger.....	76	L_ctermid .....	358
549	link .....	77	L_tmpnam.....	358
550	link count.....	77	MAGIC .....	240
551	LINK_MAX.....	284	MAN.....	<b>11</b>
552	LIO_NOP.....	232	map.....	78
553	LIO_NOWAIT.....	232	MAP_FIXED .....	376
554	LIO_READ .....	232	MAP_PRIVATE .....	376
555	LIO_WAIT.....	232	MAP_SHARED .....	376
556	LIO_WRITE .....	232	margin codes	
557	LNKTYPE.....	415	notation.....	17

558	marked message .....	78	mode.....	79
559	matched.....	78, 196	mode_t.....	405
560	MAXARGS.....	349	MON.....	12
561	MAXFLOAT.....	299	monotonic clock.....	80
562	maximum values.....	286	MON_.....	278
563	MAX_CANON.....	284	MORECTL.....	372
564	MAX_INPUT.....	284	MOREDATA.....	372
565	may.....	8	mount point.....	80
566	MB_CUR_MAX.....	362	MPR.....	12
567	MB_LEN_MAX.....	290-291	MQ_OPEN_MAX.....	282
568	MCL_CURRENT.....	376	MQ_PRIO_MAX.....	282
569	MCL_FUTURE.....	376	MSG.....	12
570	mcontext_t.....	435	MSGVERB.....	192
571	memory mapped files.....	78	MSG_ANY.....	372
572	memory object.....	78	MSG_BAND.....	372
573	memory-resident.....	79	MSG_CTRUNC.....	391
574	message.....	79	MSG_DONTRROUTE.....	391
575	message catalog.....	79	MSG_EOR.....	391
576	message catalog descriptor.....	79	MSG_HIPRI.....	372
577	message queue.....	79	MSG_NOERROR.....	379
578	MF.....	11	MSG_OOB.....	391
579	minimum values.....	286	MSG_PEEK.....	391
580	MINSIGSTKSZ.....	340	MSG_TRUNC.....	391
581	ML.....	12	MSG_WAITALL.....	391
582	MLR.....	12	MS_ASYNC.....	376
583	MM_macros.....	263	MS_INVALIDATE.....	376
584	MM_APPL.....	263	MS_SYNC.....	376
585	MM_CONSOLE.....	263	multi-character collating element.....	80
586	MM_ERROR.....	263	mutex.....	80
587	MM_FIRM.....	263	MUXID_ALL.....	372
588	MM_HALT.....	263	M.....	298
589	MM_HARD.....	263	M_E.....	298
590	MM_INFO.....	263	M_LN.....	298
591	MM_NOCON.....	264	M_LOG10E.....	298
592	MM_NOMSG.....	263	M_LOG2E.....	298
593	MM_NOSEV.....	263	M_PI.....	298
594	MM_NOTOK.....	263	M_SQRT1_2.....	299
595	MM_NRECOV.....	263	M_SQRT2.....	299
596	MM_NULLACT.....	263	name.....	80
597	MM_NULLLBL.....	263	named STREAM.....	80
598	MM_NULLMC.....	263	NAME_MAX.....	244, 285
599	MM_NULLSEV.....	263	NaN (Not a Number).....	81
600	MM_NULLTAG.....	263	native language.....	81
601	MM_NULLTXT.....	263	NCCS.....	417
602	MM_OK.....	263	NDEBUG.....	235
603	MM_OPSYS.....	263	negative response.....	81
604	MM_PRINT.....	263	network.....	81
605	MM_RECOVER.....	263	network address.....	81
606	MM_SOFT.....	263	network byte order.....	81
607	MM_UTIL.....	263	newline character.....	82
608	MM_WARNING.....	263	NEW_TIME.....	460

## Index

609	NGROUPS_MAX .....	286	operand .....	84
610	nice value .....	82	operator .....	84
611	NI_DGRAM .....	312	OPOST .....	418
612	NI_NAMEREQD .....	312	option .....	84
613	NI_NOFQDN .....	311	ADV .....	10
614	NI_NUMERICHOST .....	311	AIO .....	10
615	NI_NUMERICSERV .....	312	BAR .....	10
616	NLDLY .....	418	BE .....	10
617	nlink_t .....	405	CD .....	10
618	NLn .....	418	CPT .....	11
619	NLSPATH .....	<b>190</b>	CS .....	11
620	NL_ARGMAX .....	292	FD .....	11
621	NL_CAT_LOCALE .....	319	FR .....	11
622	NL_LANGMAX .....	292	FSC .....	11
623	NL_MSGMAX .....	292	IP6 .....	11
624	NL_NMAX .....	292	MF .....	11
625	NL_SETD .....	319	ML .....	12
626	NL_SETMAX .....	292	MLR .....	12
627	NL_TEXTMAX .....	292	MON .....	12
628	NOEXPR .....	278	MPR .....	12
629	NOFLSH .....	420	MSG .....	12
630	non-blocking .....	82	PIO .....	13
631	non-canonical mode input processing .....	216	PS .....	13
632	non-spacing characters .....	82	RTS .....	13
633	NOSTR .....	278	SD .....	13
634	NUL .....	82	SEM .....	13
635	NULL .....	351, 358, 362, 366, 427, 445	SHM .....	13
636	null byte .....	83	SIO .....	13
637	null pointer .....	83	SPI .....	14
638	null string .....	83	SPN .....	14
639	null wide-character code .....	83	SS .....	14
640	number sign .....	83	TCT .....	14
641	numerical limits .....	290	TEF .....	15
642	NZERO .....	292	THR .....	14
643	OB .....	<b>12</b>	TMO .....	14
644	object file .....	83	TMR .....	14
645	OCRNL .....	418	TPI .....	14
646	octet .....	83	TPP .....	15
647	OF .....	<b>12</b>	TPS .....	15
648	offset maximum .....	84	TRC .....	15
649	off_t .....	405	TRI .....	15
650	OFILL .....	418	TRL .....	15
651	OH .....	<b>12</b>	TSA .....	15
652	OLD_TIME .....	460	TSF .....	16
653	ONLCR .....	418	TSH .....	16
654	ONLRET .....	418	TSP .....	16
655	ONOCR .....	418	TSS .....	16
656	opaque address .....	84	TYM .....	16
657	open file .....	84	UP .....	16
658	open file description .....	84	XSR .....	17
659	OPEN_MAX .....	282, 335	option-argument .....	85

660	options		
661	shell and utilities.....	35	
662	system interfaces .....	32	
663	orientation.....	85	
664	orphaned process group .....	85	
665	output devices.....	211	
666	O_ constants		
667	defined in <fcntl.h>.....	251-252	
668	O_ACCMODE.....	252	
669	O_APPEND .....	251	
670	O_CREAT .....	251	
671	O_DSYNC .....	251	
672	O_EXCL.....	251	
673	O_NOCTTY .....	251	
674	O_NONBLOCK .....	251	
675	O_RDONLY .....	252	
676	O_RDWR.....	252	
677	O_RSYNC .....	252	
678	O_SYNC .....	252	
679	O_TRUNC.....	251	
680	O_WRONLY .....	252	
681	page .....	85	
682	page size .....	85	
683	PAGESIZE.....	282	
684	PAGE_SIZE.....	282	
685	parameter .....	85	
686	PARENB.....	420	
687	parent directory .....	86	
688	parent process .....	86	
689	parent process ID.....	86	
690	PARMRK .....	418	
691	PARODD .....	420	
692	PATH.....	192	
693	path name.....	86	
694	path name component.....	86	
695	path name resolution.....	123	
696	path name variable values.....	284	
697	path prefix .....	86	
698	PATH_MAX.....	285, 293	
699	pattern.....	87	
700	period.....	87	
701	permissions .....	87	
702	persistence.....	87	
703	pid_t .....	405	
704	PIO .....	13	
705	pipe .....	87	
706	PIPE_BUF .....	285	
707	PM_STR.....	278	
708	POLLERR .....	320	
709	pollfd.....	320	
710	POLLHUP .....	320	
	POLLIN .....	320	
	polling .....	88	
	POLLNVAL .....	320	
	POLLOUT .....	320	
	POLLPRI.....	320	
	POLLRDBAND.....	320	
	POLLRDNORM.....	320	
	POLLWRBAND .....	320	
	POLLWRNORM.....	320	
	POLL_ERR .....	342	
	POLL_HUP .....	342	
	POLL_IN .....	342	
	POLL_MSG .....	342	
	POLL_OUT .....	342	
	POLL_PRI.....	342	
	portable character set .....	88, 133	
	portable file name character set .....	88, 122	
	positional parameter .....	88	
	POSIX		
	conformance .....	19	
	POSIX locale .....	144	
	POSIX shell and utilities.....	23	
	POSIX system interfaces		
	conformance .....	20	
	POSIX2_CHAR_TERM .....	23, 35	
	POSIX2_C_DEV .....	23, 35	
	POSIX2_FORT_DEV .....	23, 35	
	POSIX2_FORT_RUN .....	23, 35	
	POSIX2_LOCALEDEF.....	23, 36	
	POSIX2_PBS .....	23, 36	
	POSIX2_PBS_ACCOUNTING .....	23, 36	
	POSIX2_PBS_CHECKPOINT .....	36	
	POSIX2_PBS_LOCATE.....	23, 36	
	POSIX2_PBS_MESSAGE.....	23, 36	
	POSIX2_PBS_TRACK.....	23, 36	
	POSIX2_SW_DEV .....	23, 36	
	POSIX2_UPE .....	23, 36	
	POSIX_ALLOC_SIZE_MIN .....	285	
	POSIX_FADV_DONTNEED .....	252	
	POSIX_FADV_NOREUSE.....	252	
	POSIX_FADV_NORMAL.....	252	
	POSIX_FADV_RANDOM .....	252	
	POSIX_FADV_SEQUENTIAL .....	252	
	POSIX_FADV_WILLNEED.....	252	
	POSIX_MADV_DONTNEED .....	377	
	POSIX_MADV_NORMAL.....	376	
	POSIX_MADV_RANDOM.....	377	
	POSIX_MADV_SEQUENTIAL.....	377	
	POSIX_MADV_WILLNEED .....	377	
	POSIX_REC_INCR_XFER_SIZE .....	285	
	POSIX_REC_MAX_XFER_SIZE.....	285	

## Index

711	POSIX_REC_MIN_XFER_SIZE.....	285	PTHREAD_CREATE_DETACHED.....	322
712	POSIX_REC_XFER_ALIGN.....	285	PTHREAD_CREATE_JOINABLE.....	322
713	POSIX_TYPED_MEM_ALLOCATE.....	377	PTHREAD_DESTRUCTOR_ITERATIONS.....	283
714	POSIX_TYPED_MEM_ALLOCATE_CONTIG.....	377	PTHREAD_EXPLICIT_SCHED.....	322
715	POSIX_TYPED_MEM_MAP_ALLOCATABLE.....	377	PTHREAD_INHERIT_SCHED.....	322
716	preallocation.....	88	PTHREAD_KEYS_MAX.....	283
717	preempted process (or thread).....	89	PTHREAD_MUTEX_DEFAULT.....	322
718	printable character.....	89	PTHREAD_MUTEX_ERRORCHECK.....	322
719	printable file.....	89	PTHREAD_MUTEX_INITIALIZER.....	322
720	priority.....	89	PTHREAD_MUTEX_NORMAL.....	322
721	priority band.....	89	PTHREAD_MUTEX_RECURSIVE.....	322
722	priority inversion.....	90	PTHREAD_ONCE_INIT.....	322
723	priority scheduling.....	90	PTHREAD_PRIO_INHERIT.....	322
724	priority-based scheduling.....	90	PTHREAD_PRIO_NONE.....	322
725	PRIO_ constants		PTHREAD_PRIO_PROTECT.....	322
726	defined in <sys/resource.h>.....	<b>381</b>	PTHREAD_PROCESS_PRIVATE.....	322
727	PRIO_PGRP.....	381	PTHREAD_PROCESS_SHARED.....	322
728	PRIO_PROCESS.....	381	PTHREAD_RWLOCK_INITIALIZER.....	322
729	PRIO_USER.....	381	PTHREAD_SCOPE_PROCESS.....	322
730	privilege.....	90	PTHREAD_SCOPE_SYSTEM.....	322
731	process.....	90	PTHREAD_STACK_MIN.....	283
732	process group.....	90	PTHREAD_THREADS_MAX.....	283
733	process group ID.....	91	PWD.....	<b>193</b>
734	process group leader.....	91	P_ALL.....	411
735	process group lifetime.....	91	P_GID.....	411
736	process groups		P_PID.....	411
737	termios.....	213	P_tmpdir.....	358
738	process ID.....	91	radix character.....	93
739	process lifetime.....	91	RADIXCHAR.....	278
740	process memory locking.....	92	RAND_MAX.....	362
741	process termination.....	92	read-only file system.....	93
742	process virtual time.....	92	read-write lock.....	93
743	process-to-process communication.....	92	real group ID.....	93
744	profiling option groups.....	25	real time.....	93
745	program.....	92	real user ID.....	94
746	protocol.....	92	realtime.....	27
747	PROT_EXEC.....	376	REALTIME.....	232, 306, 331, 335
748	PROT_NONE.....	376	realtime signal extension.....	94
749	PROT_READ.....	376	realtime threads.....	29
750	PROT_READ constants		record.....	94
751	in <sys/mman.h>.....	<b>376</b>	redirection.....	94
752	PROT_WRITE.....	376	redirection operator.....	94
753	PS.....	<b>13</b>	reentrant function.....	94
754	pseudo-terminal.....	93	referenced shared memory object.....	95
755	PTHREAD_BARRIER_SERIAL_THREAD.....	322	refresh.....	95
756	PTHREAD_CANCELED.....	322	region.....	95
757	PTHREAD_CANCEL_ASYNCHRONOUS.....	322	REGTYPE.....	415
758	PTHREAD_CANCEL_DEFERRED.....	322	regular expression.....	95
759	PTHREAD_CANCEL_DISABLE.....	322	basic.....	198
760	PTHREAD_CANCEL_ENABLE.....	322	extended.....	203
761	PTHREAD_COND_INITIALIZER.....	322	grammar.....	206

762	regular file .....	95	RTLD_NOW .....	246
763	REG_constants		RTS .....	13
764	defined in <regex.h> .....	329	RTSIG_MAX .....	283, 339
765	REG_BADBR .....	329	runnable process (or thread) .....	96
766	REG_BADPAT .....	329	running process (or thread) .....	96
767	REG_BADRPT .....	330	runtime values	
768	REG_EBRACE .....	329	increasable .....	285
769	REG_EBRACK .....	329	invariant .....	281
770	REG_ECOLLATE .....	329	rusage .....	381
771	REG_ECTYPE .....	329	RUSAGE_CHILDREN .....	381
772	REG_EESCAPE .....	329	RUSAGE_SELF .....	381
773	REG_ENOSYS .....	330	R_OK .....	445
774	REG_EPAREN .....	329	saved resource limits .....	96
775	REG_ERANGE .....	330	saved set-group-ID .....	97
776	REG_ESPACE .....	330	saved set-user-ID .....	97
777	REG_ESUBREG .....	329	SA_constants	
778	REG_EXTENDED .....	329	declared in <signal.h> .....	340
779	REG_ICASE .....	329	SA_NOCLDSTOP .....	340
780	REG_NEWLINE .....	329	SA_NOCLDWAIT .....	340
781	REG_NOMATCH .....	329	SA_NODEFER .....	340
782	REG_NOSUB .....	329	SA_ONSTACK .....	340
783	REG_NOTBOL .....	329	SA_RESETHAND .....	340
784	REG_NOTEOL .....	329	SA_RESTART .....	340
785	relative path name .....	95, 123	SA_SIGINFO .....	340
786	relocatable file .....	95	SCHAR_MAX .....	291
787	relocation .....	96	SCHAR_MIN .....	291-292
788	requested batch service .....	96	scheduling .....	97
789	requirements .....	19	scheduling allocation domain .....	97
790	RE_DUP_MAX .....	283, 286	scheduling contention scope .....	97
791	rlimit .....	381	scheduling policy .....	97
792	RLIMIT_AS .....	382	SCHED_FIFO .....	331
793	RLIMIT_CORE .....	381	SCHED_OTHER .....	331
794	RLIMIT_CPU .....	381	SCHED_RR .....	331
795	RLIMIT_DATA .....	381	SCHED_SPORADIC .....	331
796	RLIMIT_FSIZE .....	381	SCM_RIGHTS .....	390
797	RLIMIT_NOFILE .....	382	screen .....	98
798	RLIMIT_STACK .....	382	scroll .....	98
799	RLIM_INFINITY .....	381	SD .....	13
800	RLIM_SAVED_CUR .....	381	SEEK_CUR .....	251, 358, 448
801	RLIM_SAVED_MAX .....	381	SEEK_END .....	251, 358, 448
802	RMSGD .....	371	SEEK_SET .....	251, 358, 448
803	RMSGN .....	371	SEGV_ACCERR .....	342
804	RNORM .....	371	SEGV_MAPERR .....	342
805	root directory .....	96	SEM .....	13
806	RPROTDAT .....	371	semaphore .....	98
807	RPROTDIS .....	371	SEM_NSEMS_MAX .....	283
808	RPROTNORM .....	371	SEM_UNDO .....	385
809	RS_HIPRI .....	371	SEM_VALUE_MAX .....	283
810	RTLD_GLOBAL .....	246	session .....	98
811	RTLD_LAZY .....	246	session leader .....	98
812	RTLD_LOCAL .....	246	session lifetime .....	99



## Index

813	SETALL	385	SIGUSR1	339
814	SETVAL	385	SIGUSR2	339
815	shall	8	SIGVTALRM	339
816	shared memory object	99	SIGXCPU	339
817	shared memory objects	78	SIGXFSZ	339
818	shell	99	SIG_BLOCK	340
819	SHELL	193	SIG_DFL	338
820	shell script	99	SIG_ERR	338
821	shell, the	99	SIG_HOLD	338
822	SHM	13	SIG_IGN	338
823	SHM_RDONLY	387	SIG_SETMASK	340
824	SHM_RND	387	SIG_UNBLOCK	340
825	should	8	single-quote	100
826	SHRT_MAX	291	SIO	13
827	SHRT_MIN	292	size_t	366, 405
828	SHUT_RD	391	SI_ASYNCIO	342
829	SHUT_RDWR	392	SI_MESGQ	342
830	SHUT_WR	391	SI_QUEUE	342
831	SIGABRT	339	SI_TIMER	342
832	SIGALRM	339	SI_USER	342
833	SIGBUS	339, 342	slash	100
834	SIGCHLD	339, 342	SNDZERO	371
835	SIGCONT	339	socket	100
836	SIGEV_NONE	338	socket address	100
837	SIGEV_SIGNAL	338	SOCK_DGRAM	390
838	SIGEV_THREAD	338	SOCK_SEQPACKET	390
839	SIGFPE	339, 342	SOCK_STREAM	390
840	SIGHUP	339	soft limit	100
841	SIGILL	339, 342	SOL_SOCKET	390
842	siginfo_t	341	SOMAXCONN	391
843	SIGINT	339	source code	100
844	SIGKILL	339	SO_ACCEPTCONN	390
845	signal	99	SO_BROADCAST	390
846	signal stack	100	SO_DEBUG	391
847	SIGPIPE	339	SO_DONTROUTE	391
848	SIGPOLL	339, 342, 370	SO_ERROR	391
849	SIGPROF	339	SO_KEEPALIVE	391
850	SIGQUEUE_MAX	283	SO_LINGER	391
851	SIGQUIT	339	SO_OOINLINE	391
852	SIGRTMAX	338	SO_RCVBUF	391
853	SIGRTMIN	338	SO_RCVLOWAT	391
854	SIGSEGV	339, 342	SO_RCVMODE	391
855	SIGSTKSZ	340	SO_REUSEADDR	391
856	SIGSTOP	339	SO_SNDBUF	391
857	SIGSYS	339	SO_SNDLOWAT	391
858	SIGTERM	339	SO_SNDTIMEO	391
859	SIGTRAP	339, 342	SO_TYPE	391
860	SIGTSTP	339	space character	101
861	SIGTTIN	339	spawn	101
862	SIGTTOU	339	special built-in	101
863	SIGURG	339	special parameter	101

864	SPI.....	14	synchronized I/O file integrity completion.....	105
865	spin lock.....	101	synchronized I/O operation.....	105
866	SPN.....	14	synchronized input and output.....	104
867	sporadic server.....	101	synchronous I/O operation.....	105
868	SS.....	14	synchronously-generated signal.....	105
869	SSIZE_MAX.....	291, 406	system.....	105
870	ssize_t.....	405	system console.....	106
871	SS_DISABLE.....	340	system crash.....	105
872	SS_ONSTACK.....	340	system databases.....	106
873	SS_REPL_MAX.....	283	system documentation.....	106
874	stack_t.....	340	system process.....	106
875	standard error.....	101	system reboot.....	107
876	standard input.....	102	system-wide.....	107
877	standard output.....	102	S_ constants	
878	standard utilities.....	102	defined in <sys/stat.h>.....	394-395
879	stat data structure.....	394	S_ macros	
880	stderr.....	358	defined in <sys/stat.h>.....	395
881	STDERR_FILENO.....	452	S_BANDURG.....	371
882	stdin.....	358	S_ERROR.....	371
883	STDIN_FILENO.....	452	S_HANGUP.....	371
884	stdout.....	358	S_HIPRI.....	370
885	STDOUT_FILENO.....	452	S_IFBLK.....	394
886	strbuf.....	369	S_IFCHR.....	394
887	STREAM.....	102	S_IFDIR.....	395
888	stream.....	102	S_IFIFO.....	395
889	STREAM.....	248	S_IFLNK.....	395
890	STREAM end.....	103	S_IFMT.....	394
891	STREAM head.....	103	S_IFREG.....	395
892	STREAMS.....	31, 369	S_IFSOCK.....	395
893	STREAMS multiplexor.....	103	S_INPUT.....	370
894	STREAM_MAX.....	283	S_IRGRP.....	395
895	strfdinsert.....	369	S_IROTH.....	395
896	string.....	103	S_IRUSR.....	395
897	strioc1.....	369	S_IRWXG.....	395
898	strpeek.....	369	S_IRWXO.....	395
899	strrecvfd.....	369	S_IRWXU.....	395
900	str_list.....	369	S_ISBLK.....	395
901	str_mlist.....	370	S_ISCHR.....	395
902	ST_NOSUID.....	399	S_ISDIR.....	395
903	ST_RDONLY.....	399	S_ISFIFO.....	396
904	subshell.....	103	S_ISGID.....	395-396
905	successfully transferred.....	103	S_ISLNK.....	396
906	supplementary group ID.....	104	S_ISREG.....	396
907	suseconds_t.....	405	S_ISSOCK.....	396
908	suspended job.....	104	S_ISUID.....	395-396
909	symbolic link.....	104	S_ISVTX.....	395
910	SYMLINK_MAX.....	285, 293	S_IWGRP.....	395
911	SYMLOOP_MAX.....	283	S_IWOTH.....	395
912	SYMTYPE.....	415	S_IWUSR.....	395
913	synchronized I/O completion.....	104	S_IXGRP.....	395
914	synchronized I/O data integrity completion ..	104	S_IXOTH.....	395

## Index

915	S_IXUSR .....	395	thread list.....	108
916	S_MSG.....	371	thread-safe .....	109
917	S_OUTPUT .....	370	thread-specific data key .....	109
918	S_RDBAND .....	370	tilde.....	109
919	S_RDNORM .....	370	timeb.....	<b>403</b>
920	S_TYPEISMQ.....	396	timeouts.....	109
921	S_TYPEISSEM .....	396	timer .....	109
922	S_TYPEISSHM .....	396	timer overrun .....	109
923	S_TYPEISTMO .....	396	TIMER_ABSTIME.....	427
924	S_WRBAND .....	370	TIMER_MAX.....	283
925	S_WRNORM .....	370	timer_t.....	405
926	tab character .....	107	timeval.....	<b>401</b>
927	TABDLY .....	418	time_t .....	405
928	TABn.....	418	TMAGIC.....	415
929	TCIFLUSH .....	421	TMAGLEN.....	415
930	TCIOFF .....	421	TMO .....	<b>14</b>
931	TCIOFLUSH.....	421	TMPDIR.....	<b>193</b>
932	TCION .....	421	TMP_MAX.....	293, 358
933	TCOFLUSH.....	421	TMR.....	<b>14</b>
934	TCOOFF .....	421	TOEXEC .....	415
935	TCOON .....	421	token.....	110
936	TCP_NODELAY .....	318	TOREAD.....	415
937	TCSADRAIN .....	420	TOSTOP.....	420
938	TCSAFLUSH .....	420	TOWRITE.....	415
939	TCSANOW .....	420	TPI.....	<b>14</b>
940	TCT .....	<b>14</b>	TPP.....	<b>15</b>
941	TEF.....	<b>15</b>	TPS.....	<b>15</b>
942	TERM .....	<b>193</b>	TRAP_BRKPT.....	342
943	terminal		TRAP_TRACE.....	342
944	controlling.....	214	TRC.....	<b>15</b>
945	terminal (or terminal device) .....	107	TRI .....	<b>15</b>
946	terminal types.....	211	TRL .....	<b>15</b>
947	termios .....	213	TSA .....	<b>15</b>
948	canonical mode input processing.....	215	TSF .....	<b>16</b>
949	control modes.....	222	TSGID.....	415
950	controlling terminal .....	214	TSH.....	<b>16</b>
951	input modes.....	219	TSP .....	<b>16</b>
952	local modes.....	223	TSS .....	<b>16</b>
953	non-canonical mode input processing.....	216	TSUID.....	415
954	output modes .....	220	TSVTX.....	415
955	process groups.....	213	TTY_NAME_MAX.....	284
956	special control characters .....	224	TUEXEC.....	415
957	text column .....	108	TUREAD.....	415
958	text file .....	108	TUWRITE.....	415
959	TGEXEC.....	415	TVERSION.....	415
960	TGREAD.....	415	TVERSLEN.....	415
961	TGWRITE.....	415	TYM.....	<b>16</b>
962	THOUSEP .....	278	typed memory name space .....	113
963	THR .....	<b>14</b>	typed memory object.....	114
964	thread.....	108	typed memory pool.....	114
965	thread ID.....	108	typed memory port.....	114

966	TZ.....	193	WEXITSTATUS.....	362, 411
967	TZNAME_MAX.....	284	white space.....	116
968	T_FMT.....	278	wide characters.....	137
969	T_FMT_AMPM.....	278	wide-character code (C language).....	116
970	t_uscalar_t.....	369	wide-character input/output functions.....	116
971	UCHAR_MAX.....	291	wide-character string.....	116
972	ucontext_t.....	435	WIFCONTINUED.....	411
973	uid_t.....	405	WIFEXITED.....	362, 411
974	UINT_MAX.....	291	WIFSIGNALED.....	362, 411
975	ULONG_MAX.....	291	WIFSTOPPED.....	362, 411
976	UL_GETFSIZE.....	436	WNOHANG.....	362, 411
977	UL_SETFSIZE.....	436	WNOWAIT.....	411
978	UN.....	16	word.....	117
979	unbind.....	114	WORD_BIT.....	290-291
980	undefined.....	8	working directory.....	117
981	unspecified.....	9	worldwide portability interface.....	117
982	UP.....	16	WRDE_APPEND.....	468
983	upper multiplexing.....	103	WRDE_BADCHAR.....	468
984	upshifting.....	114	WRDE_BADVAL.....	468
985	user database.....	114	WRDE_CMDSUB.....	468
986	user ID.....	115	WRDE_DOOFFS.....	468
987	user name.....	115	WRDE_NOCMD.....	468
988	USER_PROCESS.....	460	WRDE_NOSPACE.....	468
989	USHRT_MAX.....	291	WRDE_NOSYS.....	468
990	utility.....	115	WRDE_REUSE.....	468
991	Utility Syntax Guidelines.....	229	WRDE_SHOWERR.....	468
992	utmpx.....	460	WRDE_SYNTAX.....	468
993	variable.....	115	WRDE_UNDEF.....	468
994	VEOF.....	417	write.....	117
995	VEOL.....	417	WSTOPPED.....	411
996	VERASE.....	417	WSTOPSIG.....	362, 411
997	vertical-tab character.....	116	WTERMSIG.....	362, 411
998	VFS.....	399	WUNTRACED.....	362, 411
999	VINTR.....	417	W_OK.....	445
1000	VKILL.....	417	XSI.....	16, 117
1001	VQUIT.....	417	conformance.....	19
1002	VSTART.....	417	XSI conformance.....	23
1003	VSTOP.....	417	XSI options groups.....	27
1004	VSUSP.....	417	XSI STREAMS.....	31
1005	VTDLY.....	419	XSI system interfaces	
1006	VTn.....	419	conformance.....	23
1007	warning		XSI-conformant.....	117
1008	MAN.....	11	XSR.....	17
1009	OB.....	12	X_OK.....	445
1010	OF.....	12	YESEXPR.....	278
1011	UN.....	16	YESSTR.....	278
1012	WCHAR_MAX.....	464	zombie process.....	118
1013	WCHAR_MIN.....	464		
1014	WCONTINUED.....	411		
1015	WEOF.....	462, 464, 466		
1016	WEXITED.....	411		